

Refine Search

Search Results -

Terms	Documents
L4 and L13	63

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14



Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Friday, May 19, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ

<u>L14</u>	14 and L13	63	<u>L14</u>
<u>L13</u>	19 and L12	64	<u>L13</u>
<u>L12</u>	increment\$5 near10 15	18120	<u>L12</u>
<u>L11</u>	14 and L9	296	<u>L11</u>
<u>L10</u>	15 and L9	350	<u>L10</u>
<u>L9</u>	17 and L8	350	<u>L9</u>
<u>L8</u>	set\$4 near10 15	131975	<u>L8</u>
<u>L7</u>	12 same L6	787	<u>L7</u>
<u>L6</u>	13 with (access\$3 or transcation or command or request)	6110	<u>L6</u>
<u>L5</u>	bit	759896	<u>L5</u>
<u>L4</u>	cycle	1238057	<u>L4</u>
<u>L3</u>	interleav\$5	97642	<u>L3</u>
<u>L2</u>	dram or sdram	125576	<u>L2</u>

DB=USPT; PLUR=NO; OP=ADJ

L1 (5893136 or 6131146 or 6622228 or 6661721 or 5987574 or 4785428).pn.

6 L1

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUP

Results for "((dram<in>metadata) <and> (interleaving<in>metadata))"

Your search matched 39 of 1351118 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((dram<in>metadata) <and> (interleaving<in>metadata))

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

[Select All](#) [Deselect All](#)

- ☐ 1. An 8 ns random cycle embedded RAM macro with dual-port interleaved DRAM architecture (D²RA
 Agata, Y.; Motomochi, K.; Kagenishi, Y.; Fukushima, Y.; Shirahama, M.; Kurumada, M.; Kuroda, N.; Sada
 Hayashi, K.; Yamada, T.; Takahashi, K.; Fujita, T.;
[Solid-State Circuits Conference, 2000. Digest of Technical Papers. ISSCC. 2000 IEEE International](#)
 7-9 Feb. 2000 Page(s):392 - 393
 Digital Object Identifier 10.1109/ISSCC.2000.839829
[AbstractPlus](#) | Full Text: [PDF](#)(230 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. An 8-ns random cycle embedded RAM macro with dual-port interleaved DRAM architecture (D²RA
 Agata, Y.; Motomochi, K.; Fukushima, Y.; Shirahama, M.; Kurumada, M.; Kuroda, N.; Sadakata, H.; Haya
 Yamada, T.; Takahashi, K.; Fujita, T.;
[Solid-State Circuits, IEEE Journal of](#)
 Volume 35, Issue 11, Nov. 2000 Page(s):1668 - 1672
 Digital Object Identifier 10.1109/4.881213
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(216 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. A process-independent, 800-MB/s, DRAM byte-wide interface featuring command interleaving and
 memory operation
 Griffin, M.M.; Zerbe, J.; Tsang, G.; Ching, M.; Portmann, C.L.;
[Solid-State Circuits, IEEE Journal of](#)
 Volume 33, Issue 11, Nov. 1998 Page(s):1741 - 1751
 Digital Object Identifier 10.1109/4.726569
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(344 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. Efficient implementation techniques for vector memory systems
 Tzicker Chiuah; Verma, M.; Padubidri, S.;
[Parallel Architectures, Algorithms and Networks, 1994. \(ISPAN\) International Symposium on](#)
 14-16 Dec. 1994 Page(s):270 - 277
 Digital Object Identifier 10.1109/ISPAN.1994.367139
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. A 2000-MOPS embedded RISC processor with a Rambus DRAM controller
 Suzuki, K.; Daito, M.; Inoue, T.; Nadehara, K.; Nomura, M.; Mizuno, M.; Ima, T.; Sato, S.; Fukuda, T.; An
 Yamashina, M.;

[Solid-State Circuits, IEEE Journal of](#)

Volume 34, Issue 7, July 1999 Page(s):1010 - 1021

Digital Object Identifier 10.1109/4.772417

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(512 KB\)](#) IEEE JNL

[Rights and Permissions](#)



6. A 400-MHz random-cycle dual-port interleaved DRAM (D/sup 2/DRAM) with standard CMOS Process
Shirahama, M.; Agata, Y.; Kawasaki, T.; Nishihara, R.; Abe, W.; Kuroda, N.; Sadakata, H.; Uchikoba, T.;
Egashira, K.; Honda, S.; Miho Miura; Hashimoto, S.; Kikukawa, H.; Yamauchi, H.;

[Solid-State Circuits, IEEE Journal of](#)

Volume 40, Issue 5, May 2005 Page(s):1200 - 1207

Digital Object Identifier 10.1109/JSSC.2005.845995

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1768 KB\)](#) IEEE JNL

[Rights and Permissions](#)



7. A 400MHz random-cycle dual-port interleaved DRAM with striped-trench capacitor
Shirahama, M.; Agata, Y.; Kawasaki, I.; Nishihara, R.; Abe, W.; Kuroda, N.; Sadakata, H.; Uchikoba, T.;
Egashira, K.; Honda, S.; Miura, M.; Hashimoto, S.; Kikukawa, H.; Yamauchi, H.;

[Solid-State Circuits Conference, 2005, Digest of Technical Papers, ISSCC, 2005 IEEE International](#)

6-10 Feb. 2005 Page(s):462 - 610 Vol. 1

Digital Object Identifier 10.1109/ISSCC.2005.1494069

[AbstractPlus](#) | Full Text: [PDF\(905 KB\)](#) | [Multimedia](#) IEEE CNF

[Rights and Permissions](#)



8. Building packet buffers using Interleaved memories

Shrimali, G.; McKeown, N.;

[High Performance Switching and Routing, 2005, HPSR, 2005 Workshop on](#)

12-14 May 2005 Page(s):1 - 5

Digital Object Identifier 10.1109/HPSR.2005.1503183

[AbstractPlus](#) | Full Text: [PDF\(309 KB\)](#) IEEE CNF

[Rights and Permissions](#)



9. A permutation-based page interleaving scheme to reduce row-buffer conflicts and exploit data loc
Zhao Zhang; Zhichun Zhu; Xiaodong Zhang;

[Microarchitecture, 2000, MICRO-33, Proceedings, 33rd Annual IEEE/ACM International Symposium on](#)
10-13 Dec. 2000 Page(s):32 - 41

Digital Object Identifier 10.1109/MICRO.2000.898056

[AbstractPlus](#) | Full Text: [PDF\(876 KB\)](#) IEEE CNF

[Rights and Permissions](#)



10. A vector memory system based on wafer-scale integrated memory arrays

Chiueh, T.-C.;

[Computer Design: VLSI in Computers and Processors, 1993, ICCD '93, Proceedings, 1993 IEEE Interna](#)
[Conference on](#)

3-6 Oct. 1993 Page(s):284 - 288

Digital Object Identifier 10.1109/ICCD.1993.393365

[AbstractPlus](#) | Full Text: [PDF\(456 KB\)](#) IEEE CNF

[Rights and Permissions](#)



11. Low latency EDRAM main memory subsystem for 66 MHz bus operation

Bondurant, D.;

[Compcn Spring '94, Digest of Papers,](#)

28 Feb.-4 March 1994 Page(s):250 - 254

Digital Object Identifier 10.1109/CMPCON.1994.282915

[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF

[Rights and Permissions](#)



12. A multimedia-oriented embedded RISC processor with a rambus DRAM controller

Suzuki, K.; Daito, M.; Inoue, T.; Naehara, K.; Nomura, M.; Iima, T.; Fukuda, T.;

Solid-State Circuits Conference, 1998. ESSCIRC '98. Proceedings of the 24th European
22-24 Sept. 1998 Page(s):144 - 147

[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 13. **A 1.6 GB/s DRAM with flexible mapping redundancy technique and additional refresh scheme**
Takase, S.; Kushiyama, N.;
Solid-State Circuits Conference, 1999. Digest of Technical Papers. ISSCC, 1999 IEEE International
15-17 Feb. 1999 Page(s):410 - 411
Digital Object Identifier 10.1109/ISSCC.1999.759326
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 14. **A 128 K×8 70-MHz multiport video RAM with auto register reload and 8×4 block WRITE feature**
Pinkham, R.; Russell, D.; Balistreri, A.; Herndon, T.H.; Anderson, D.; Mehta, A.; Nguyen, T.; Hong, N.H.;
Hatakoshi, S.; Guillemaud, A.;
Solid-State Circuits, IEEE Journal of
Volume 23, Issue 5, Oct. 1988 Page(s):1133 - 1139
Digital Object Identifier 10.1109/4.5935
[AbstractPlus](#) | Full Text: [PDF\(608 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 15. **New nibbled-page architecture for high-density DRAMs**
Numata, K.; Oowaki, Y.; Itoh, Y.; Hara, T.; Tsuchida, K.; Ohta, M.; Watanabe, S.; Ohuchi, K.;
Solid-State Circuits, IEEE Journal of
Volume 24, Issue 4, Aug. 1989 Page(s):900 - 904
Digital Object Identifier 10.1109/4.34068
[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 16. **An experimental 16-Mbit CMOS DRAM chip with a 100-MHz serial read/write mode**
Watanabe, S.; Oowaki, Y.; Itoh, Y.; Sakui, K.; Numata, K.; Fuse, T.; Kobayashi, T.; Tsuchida, K.; Chiba, M.;
Ohta, M.; Horiguchi, F.; Hieda, K.; Miyayama, A.; Hamamoto, T.; Ohuchi, K.; Masuoka, F.;
Solid-State Circuits, IEEE Journal of
Volume 24, Issue 3, Jun 1989 Page(s):763 - 770
Digital Object Identifier 10.1109/4.32038
[AbstractPlus](#) | Full Text: [PDF\(660 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 17. **A 32-bank 256-Mb DRAM with cache and TAG**
Tanoi, S.; Tanaka, Y.; Tanabe, T.; Kita, A.; Inada, T.; Hamazaki, R.; Ohtsuki, Y.; Uesugi, M.;
Solid-State Circuits, IEEE Journal of
Volume 29, Issue 11, Nov. 1994 Page(s):1330 - 1335
Digital Object Identifier 10.1109/4.328632
[AbstractPlus](#) | Full Text: [PDF\(564 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 18. **Next generation PET data acquisition architectures**
Jones, W.F.; Reed, J.H.; Everman, J.L.; Young, J.W.; Seese, R.D.;
Nuclear Science, IEEE Transactions on
Volume 44, Issue 3, Part 2, June 1997 Page(s):1202 - 1207
Digital Object Identifier 10.1109/23.596988
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(644 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 19. **500-Mb/s nonprecharged data bus for high-speed DRAM's**
Saito, M.; Ogawa, J.; Tamura, H.; Wakayama, S.; Araki, H.; Tsz-Shing Cheung; Gotoh, K.; Aikawa, T.; Sato,
Taguchi, M.; Imamura, T.;
Solid-State Circuits, IEEE Journal of

Volume 33, Issue 11, Nov. 1998 Page(s):1720 - 1730
Digital Object Identifier 10.1109/4.726566

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(336 KB) IEEE JNL
[Rights and Permissions](#)



20. 400-MHz random column operating SDRAM techniques with self-skew compensation

Hamamoto, T.; Tsukude, M.; Arimoto, K.; Konishi, Y.; Miyamoto, T.; Ozaki, H.; Yamada, M.;
[Solid-State Circuits, IEEE Journal of](#)

Volume 33, Issue 5, May 1998 Page(s):770 - 778

Digital Object Identifier 10.1109/4.668992

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(300 KB) IEEE JNL
[Rights and Permissions](#)



21. A 1GHz embedded DRAM macro and fully programmable BIST with at-speed bitmap capability

Lines, V.; McKenzie, R.; Hak-June Oh; Hong-Beom Pyeon; Dunn, M.; Palapar, S.; Coleman, S.; Nyasulu, Pike, S.; McCready, J.; Defazio, J.; Jin-Ki Kim; Penchuk, R.; Greenfield, Z.; Lange, F.; Mandler, A.; Jones Silverstein, M.;

[Memory Technology, Design, and Testing, 2005. MTD 2005. 2005 IEEE International Workshop on](#)
3-5 Aug. 2005 Page(s):47 - 51

Digital Object Identifier 10.1109/MTDT.2005.5

[AbstractPlus](#) | Full Text: [PDF](#)(880 KB) IEEE CNF
[Rights and Permissions](#)



22. Asynchronous DRAM design and synthesis

Ekanayake, V.N.; Manohar, R.;

[Asynchronous Circuits and Systems, 2003. Proceedings, Ninth International Symposium on](#)

12-15 May 2003 Page(s):174 - 183

Digital Object Identifier 10.1109/ASYNC.2003.1199177

[AbstractPlus](#) | Full Text: [PDF](#)(469 KB) IEEE CNF
[Rights and Permissions](#)



23. Analysis of a memory architecture for fast packet buffers

Iyer, S.; Kompella, R.R.; McKeown, N.;

[High Performance Switching and Routing, 2001 IEEE Workshop on](#)

29-31 May 2001 Page(s):368 - 373

Digital Object Identifier 10.1109/HPSR.2001.923663

[AbstractPlus](#) | Full Text: [PDF](#)(44 KB) IEEE CNF
[Rights and Permissions](#)



24. A process independent 800 MB/s DRAM byte-wide interface featuring command interleaving and c memory operation

Griffin, M.; Zerbe, J.; Chan, A.; Jun, Y.-H.; Tanaka, Y.; Richardson, W.; Tsang, G.; Ching, M.; Portmann, Stonecypher, B.; Lai, L.; Lee, K.H.; Lee, V.; Stark, D.; Modarres, H.; Batra, P.; Louis-Chandran, J.; Privite T.; Nickell, B.; Yang, J.; Hennon, V.; Sauve, R.;

[Solid-State Circuits Conference, 1998. Digest of Technical Papers, 45th ISSCC 1998 IEEE International](#)
5-7 Feb. 1998 Page(s):156 - 157, 430

Digital Object Identifier 10.1109/ISSCC.1998.672414

[AbstractPlus](#) | Full Text: [PDF](#)(820 KB) IEEE CNF
[Rights and Permissions](#)



25. A defect-tolerant DRAM employing a hierarchical redundancy scheme, built-in self-test and self-re

Niggemeyer, D.; Otterstedt, J.; Redeker, M.;

[Memory Technology, Design and Testing, 1997. Proceedings, International Workshop on](#)

11-12 Aug. 1997 Page(s):33 - 40

Digital Object Identifier 10.1109/MTDT.1997.619392

[AbstractPlus](#) | Full Text: [PDF](#)(528 KB) IEEE CNF
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & Se](#)
© Copyright 2006 IEEE – A